

9194 Red Branch Road Suite J Columbia, MD 21045 Phone: 410-997-2585

Fax: 410-997-2586

of the

www.performanceptandsport.com

Oswestry Disability Questionnaire

Patient Name	Date:	
This questionnaire has been designed to give your therapist information as a everyday life. Please answer every section and mark in each section only the statements in any one section relate to you but mark the box that most clear	ne box that applies to you. We realize you may consider that two or	
SECTION 1 - PAIN INTENSITY	SECTION 6 - STANDING	
☐ The pain comes and goes and is very mild.	☐ I can stand as long as I want without pain.	
The pain is mild and does not vary much.	I have some pain on standing but it does not increase with time.	
☐ The pain comes and goes and is moderate.	I cannot stand for longer than one hour without increasing pain.	
The pain is moderate and does not vary much.	☐ I cannot stand for longer than 1/2 hour without increasing pain.	
The pain comes and goes and is very severe.	I cannot stand longer than 10 minutes without increasing pain.	
☐ The pain is severe and does not vary much.	I avoid standing because it increases the pain.	
SECTION 2 - PERSONAL CARE	SECTION 7 - SLEEPING	
I do not have to change my way of washing or dressing to avoid pain.	☐ I get no pain in bed.	
I do not normally change my way of washing or dressing to around paint.	☐ I get pain in bed but it does not prevent me from sleeping well.	
it causes some pain.	Pain reduces my normal sleep by 1/4 each night.	
■ Washing and dressing increases the pain but I manage not to change	Pain reduces my normal sleep by 1/2 each night.	
my way of doing it.	Pain reduces my normal sleep by 3/4 each night.	
 Washing and dressing increases the pain and I find it necessary to change my way of doing it. 	Pain prevents me from sleeping at all.	
 Because of the pain, I am unable to do some washing and dressing without help. 	SECTION 8 - SOCIAL LIFE	
 Because of the pain, I am unable to do any washing or dressing 	My social life is normal and gives me no pain.	
without help.	My social life is normal but increases the degree of pain.	
SECTION 3 - LIFTING	My social life is unaffected by pain apart form limiting more energetic interests.	
I can lift heavy objects without any extra pain.	Pain has restricted my social life and I do not go out very often.	
I can lift heavy objects, but it gives extra pain.	Pain has restricted my social life to my home.	
Pain prevents me from lifting heavy objects off the floor.	I have hardly any social life because of the pain.	
Pain prevents me from lifting heavy objects off the floor but I can manage if they are conveniently positioned on a table.	SECTION 9 - DRIVING / RIDING IN CAR, ETC.	
Pain prevents me from lifting heavy objects but I can manage	I get no pain while traveling.	
light to medium objects.	I get some pain while traveling but none of my usual forms of travel	
I can only lift very light objects at the most.	make it any worse.	
SECTION 4 - WALKING	I get extra pain while traveling but it does not compel me to seek alternate forms of travel.	
I have no pain on walking.	I get extra pain while traveling which compels me to seek alternate	
I have some pain but it does not increase with distance.	forms of travel.	
I cannot walk more than one mile without increasing pain.	Pain restricts all forms of travel.	
I cannot walk more than 1/2 mile without increasing pain.	Pain prevents all forms of travel except that done lying down.	
I cannot walk more than 1/4 mile without increasing pain.	SECTION 10 - CHANGING DEGREE OF PAIN	
I cannot walk at all without increasing pain.		
SECTION 5 - SITTING	My pain is rapidly getting better.	
SECTION 5 - STITING	My pain fluctuates but overall is definitely getting better.	
I can sit in any chair as long as I like.	My pain seems to be getting better but improvement is slow at	
I can only sit in my favorite chair as long as I like.	present.	
Pain prevents me from sitting more than one hour.	My pain is neither getting better or worse.	
Pain prevents me from sitting more than half an hour.	My pain is gradually worsening.	
Pain prevents me from sitting more than 10 minutes.	My pain is rapidly worsening.	
I avoid sitting because it increases pain.		

Pain Scale: Please place **TWO** circles on the scale below, one for your pain level at its worst in the last 48 hours and the other for your pain level at its best in the last 48 hours. (If you have had instances of no pain, circle 0 for best)